

# Headsets and Microphones



**Exceptional Sound and Durability**

For Highly Intensive Applications

# HEADSETS AND MICROPHONES

## Intercom Headsets and Accessories



### CC-300 and CC-400 Headsets

Single- or double-ear headsets with flexible design, excellent noise attenuation and superior comfort. Able to rotate 300 degrees, microphone boom acts as On/Off switch for quick microphone muting. Includes standard 4-pin female connector. Interchangeable cabling for easy connector changing and repair.



### CC-27 Headset

The CC-27 is a single-ear, wrap around, and rear-worn headset with microphone. 4-pin XLR female. 200-Ohm Dynamic noise cancellation microphone with 150Hz to 10KHz frequency response.



### HS15-4F Headset

Ultra comfortable, single-muff, lightweight headset with a noise canceling microphone. Fitted for the HME PRO850.



### CC-40 and CC-60 Headsets

Single- or double-ear general-purpose intercom headsets. 200/400 Ohms, with excellent noise attenuation. Straight 5.5 foot cord (1.67 meter) with 4-pin female XLR connector.



### CC-010 IFB Ear Set

IFB ear set includes audio driver, coiled acoustic eartube with clothing clip, and 5ft (1.5m) cable with 1/8" (3.5mm) straight mini-jack connector.



### HS15D-4F Headset

Ultra comfortable, dual-muff, lightweight headset with a noise canceling microphone. Fitted for the HME PRO850.



### CC-25 Headset

The CC-25 electret is only available with mini plug for 600 Series belt packs.



### HS15 Headset

Ultra comfortable, single-muff, over-the-ear, lightweight headset. Electret noise-canceling microphone mounted on a flexible boom which rotates for left or right side use.

*Note: Compatible with HME DX100, 121, 210, and 300ES.*



### HS16 Headset

Super lightweight, single-muff headset with noise-canceling electret microphone can be worn on either ear. Flexible microphone boom ensures optimal sound clarity. Adjustable stainless steel headband provides stable, comfortable fit while ensuring secure positioning of microphone boom.

*Note: Compatible with HME DX100, 121, 210, and 300ES.*



### CC-26K Headset

The CC-26K is a single-ear, 300-Ohm ultra-lightweight (1.3oz) headset with dynamic, noise-canceling mic element on a flexible boom. Straight 5.5 foot cord (1.67 meter) with 4-pin female XLR connector.



### HS15D Headset

Ultra comfortable, dual-muff, over-the-ear, lightweight headset. Electret noise-canceling microphone mounted on a flexible boom which rotates for left or right side use.

*Note: Compatible with HME DX100, 121, 210, and 300ES.*



### HS4-3 Earpiece & Lapel Microphone

This earpiece and multidirectional electret lapel microphone combo is perfect for more discreet applications where clear, reliable communication is critical, but needs to be less conspicuous.

*Note: Compatible with HME DX100, 121, 210, and 300ES.*



#### MD-XLR Headset Adapter

These adapters enable headsets with dynamic mics and XLR connectors to interface with all the DX Series headset jacks. An active built-in circuit provides impedance matching and DC isolation. XLR adapters interface with 4P male, 4P female or 5P male headset connectors.

*Note: Compatible with HME DX100, 121, 210, and 300ES.*



#### Headset Extension Cable

Six-foot headset extension cable for all mini-DIN DX Series headset connectors.

*Note: Compatible with HME DX210 and 300ES.*



#### HSI6000 Headset Interface Adapter

The HSI6000 allows a standard 2.5mm cell phone headset to be connected to the DX Series beltpacks.

*Note: Compatible with HME DX210 and 300ES.*



Foam pads and spare parts available for all headsets and microphones.

## Intercom Microphones



#### GN-250/GN-450 Gooseneck Microphones

GN-250-25cm/10in Plug-in gooseneck microphone.

GN-450-45cm/18" Plug-in gooseneck microphone.

*Note: Compatible with I-Series and ICS panels.*



#### 110 Series Gooseneck Microphones

The 110 series of gooseneck condenser microphones offer excellent frequency response, audio sensitivity, and flexible design. Supplied with threaded 3-pin male DIN connectors and windscreens. Available in three sizes: 110/100 – 10 cm (3.9"), 110/340 – 34 cm (13.4"), 110/490 – 49 cm (19.3").

*Note: Compatible with V-Series and 4224EBL panels.*



#### GM-9/GM-18 Gooseneck Microphones

The GM-9 (9" length) and GM-18 (18" length) gooseneck microphones feature a gold-plated, threaded, and locking three-conductor quarter-inch phone plug connector. A fitted windscreen is included. The uni-directional electret condenser mic element has a side and rear rejection of greater than 6dB between 100Hz and 10kHz.

*Note: Compatible with I-Series and ICS panels.*

## Intercom Handsets



#### HS-6 Telephone-style Handset

Telephone-style handset with wall/console mount hanger, push-to-talk switch. Six foot coil cord with 4-pin female XLR connector.



#### PT-7 Hand-held Microphone

Rugged, push-to-talk, hand-held microphone with mounting clip. Five foot coil cord with 4-pin female XLR connector.



### **About Clear-Com®**

Clear-Com, an HME company, is a global provider in professional voice communications systems since 1968. We develop and market proven intercom technologies such as Analog & Digital Partyline, Digital Matrix, Wireless and Intercom-over-IP systems for critical communication applications in broadcast, performance venues, military, government and enterprise markets. Recognized for our legacy of intercom innovations, production teams around the world have come to depend on Clear-Com for clear, reliable and scalable communications solutions.

### **About HM Electronics, Inc. (HME)**

HM Electronics, Inc. is a diverse group of companies providing solutions that enhance productivity and customer service in markets including restaurants, sports and professional audio. Founded in 1971, we sell, service and support products in 89 countries worldwide, via company-owned offices in the U.S., Canada, Europe, and China, and an extensive network of HME-authorized distributors, dealers and service agents. Every day quick service restaurants take over 24 million orders using HME systems. With the recent acquisition of Clear-Com, HME is the world's leading provider of professional intercom systems.

#### **Americas and Asia-Pacific Headquarters**

California, United States  
Tel: +1.510.337.6600  
Email: SalesSupportUS@clearcom.com

#### **Europe, Middle East, and Africa Headquarters**

Cambridge, United Kingdom  
Tel: +44 1223 815000  
Email: SalesSupportEMEA@clearcom.com

#### **China Office**

Beijing Representative Office  
Beijing, P.R.China  
Tel: +86-10-65811360/65815577

[www.clearcom.com](http://www.clearcom.com)